What is claimed is:

1. A method of producing coloured plastics or polymeric colour particles, in which there is used the dye of formula

together with the dye of formula

$$CF_3 \qquad H_3C \qquad CN \qquad \qquad CH_3 \qquad \qquad HN \qquad CH_3 \qquad \qquad (2)$$

and a UV absorber and, optionally, further dyes.

2. A method according to claim 1, in which there is used, in addition to the dyes of formulae (1) and (2), the dye of formula

3. A method according to either claim 1 or claim 2, in which there is used, as UV absorber, a UV absorber from the class of the 2-(2'-hydroxyphenyl)benzotriazoles, the 2-hydroxybenzophenones, the esters of substituted or unsubstituted benzoic acid, the acrylates, the oxamides, the 2-(2-hydroxyphenyl)-1,3,5-triazines, the monobenzoates of resorcinol, the formamidines, or a polyester UV absorber of formula

$$\begin{array}{c|c}
\hline
 & \text{polyester} \\
\hline
 & \text{C} \\
\hline
 & \text{C} \\
\hline
 & \text{O} \\
 & \text{O} \\
\hline
 & \text{O} \\
 & \text{O} \\
 & \text{O} \\
 & \text{O$$

having a specific weight of from 1200 to 1400, preferably from 1300 to 1350, at 25°C.

- 4. Use of a combination of the dyes of formulae (1) and (2) according to claim 1 and a UV absorber in colouring plastics or polymeric particles.
- 5. Use of a combination of the dyes of formulae (1), (2) and (6) according to claim 2 and a UV absorber in colouring plastics or polymeric particles.
- 6. Use according to either claim 4 or claim 5, in which there is used, as UV absorber, a UV absorber from the class of the 2-(2'-hydroxyphenyl)benzotriazoles, the 2-hydroxybenzophenones, the esters of substituted or unsubstituted benzoic acid, the acrylates, the oxamides,

the 2-(2-hydroxyphenyl)-1,3,5-triazines, the monobenzoates of resorcinol, the formamidines, or a polyester UV absorber of formula

$$\begin{array}{c|c}
\hline
 & \text{polyester} \\
\hline
 & \text{polyester} \\
\hline
 & \text{polyester}
\end{array}$$

having a specific weight of from 1200 to 1400, preferably from 1300 to 1350, at 25°C.

- 7. Use of a combination according to any one of claims 4 to 6 in colouring beer bottles of polyethylene terephthalate (PET).
- 8. Plastics or polymeric particles coloured by a combination according to any one of claims 4 to 6.
- 9. Beer bottles of polyethylene terephthalate (PET) coloured using a combination according to any one of claims 4 to 6.